Save up to **38.750 €** per year with DURAPRINT!*

Your added value booklet



DURAPRINT DURAPRILeading Through Innovation

*assumed values of a 5-color printing machine format 3B at standard continuous operation (exemplary calculation)



Adjusting rollers? - Forget it!

None of our DuraPrint-customers needed to re-adjust Print our ink rollers during the last three years. APRINT DURAPRINT DURAPR

You certainly know the waste of time and energy involved with standard rollers: Depending on the quality demand you are adjusting your ink rollers on average approximately six times per year. It takes a well-experienced printer about one and a half hours per print unit to do so.

Using the example of a 5-color machine format 3B this equals:

250 Euro

PRINT D machine hour DURAPEINT DURAPEINT DUR manthours for APRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAF 5 print units) URAPRINT DURAPRINT DURAPRINT

adjustments

1.250 Eur

DURAPRINT DURAPR

rint DuraPrin per Dyear in per Dyess

thanks to less adjustment work!

vour customized calculation:

print units

savings thanks to less adjustment

Nou're better offusing DuraPrint and have no worries about adjusting!

Washed in a fraction of the standard time

DuraPrint promises unique washing comfort. In case of difficult color sequences (ink change from dark to light) it takes 4 to 5 wash cycles with standard rollers. Using DuraPrint 1 to 2 wash cycles will do.

Our customer HO-Persiehl Wanfried, having a manroland 7-color press format 3B, confirms that standard 5-minute wash cycles are reduced to 3 minutes if using DuraPrint-rollers.

Your savings in case of changing jobs 8-times per day:

250 Euro x 0,25

RAPRINT DUE Machine hour URAPRINT DURAPRINT I daily saved RIN RAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT Wash hours RINT DURAPRINT DUR days

APRINT production

12.500 Eu

DURAPRINT DURAPR

DURAPRINT DURAPR er year per machine

thanks to reduced wash time!

vour customized calculation:

daily saved wash hours

production davs

savings thanks to reduced wash time!

Obtain customer's approval faster than in the past.

Our customer Gerstenberg in Hildesheim has been benefitting from the effect for about three years now: When end-customers come in for the press proof, they are always surprised how fast the first o.k. proof is being presented on the central control console.

On average the customer approves the o.k. sheet on the past.

Your savings in case of changing jobs 4-times daily:

250 Euro x 0,3

PRINT DURA machine hour APRINT DURAPE daily saved press DURAPE production PRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT PROOF TIMEPRINT DURAPRINT DURAPRINT DURAPRINT



per year per machine

thanks to reduced make-ready times!

your customized calculation:

daily saved presspent

production

make-ready times!

By the way, not to mention the significant savings on misprinted sheets as well. However, your highest quality pre-press system has an impact on the degree of paper savings.


Wash yellow rollers eco-friendly bapping Duraphing Duraphing

No – we would not act professionally if we recommended using DuraPrint solely because of wash savings. In fact, we do talk about consuming approximately 50 % less, when washing DuraPrint (for washing the rollers only).

Our environment is thankful to you and your consideration for any liter wash not being consumed.

»Environmental protection is a chance and not a burden which we have to carry.

Dr. Helmut Sihler (*1930), Austrian top manager, 1980-92 chairman of the board of directors of Henkel, Düsseldorf



Field reports released by our customers



Conce you have worked with DURAPRINT, you won't put rubber into your machine again!

Stephan Grube, administration and sales manager of Gerstenberg Druck & Direktwerbung in Hildesheim (Heidelberg CD 102/5 + coating and Heidelberg SM 102/4)



...as to print respectively ink stability, these rollers are the best which I have ever installed in a press ...!

Norman Meyer, pressroom manager of that DuraPrint DuraPrint Ernst Boldt Faltschachtelwerk in Isernhagen APRINT DURAPRINT (Heidelberg CX 102/5 + coating). DuraPrint Du

Right from the beginning DURAPRINT-roller coverings have convinced us. Washing rollers from dark blue to chamois made us apply wash paste and wash it down 4- to 5-times so far. With DURAPRINT-rollers you can wash it down one time, apply wash paste and wash down one more time, leaving no residual dirt on the rollers. The press' washing program was modified, too, and we were able to save a significant quantity of wash and water during the first test. At this point the full potential has surely not been realized yet. DURAPRINT-coverings also show very quick ink trapping and help reduce paper waste.



Erwin Berger, pressroom manager of MM-Neupack in Reichenau, (manroland 900) and DuraPally DuraPally



After a 6-months test phase in one print unit, we have equipped ten more 3B- and 6-format print units with DURAPRINT. In addition to shorter change-over times during the process of washing especially with special colors, we are also significantly faster and ready for printing than in the past. To me as the pressroom manager it is a priceless advantage that the rollers do not need to be adjusted. Thus the major uncertainty factor in the printing process no longer exists. Once the rollers have been exactly adjusted, they stay that way.

Manuel Lieb, pressroom manager of **Druckerei Höhn GmbH** in Ulm (KBA Rapida 106.+ KBA Rapida 142), pressroum Durane



>> In two of our presses one print unit of each was equipped with DuraPrint-rollers for test purposes. After a short test phase we have modified the washing programs of these units and were able to save time, washing solution and water. Another advantage is in our opinion the ink stability especially when printing with special colors in these print units. These units won't be the only units equipped with DuraPrint Quarter DuraPrint DuraPrint

Sven Christian, pressroom, Leopold Verpackungen in Ludwigsburg (KBA Rapida 142) and Durakan Durak



>>> Absolutely dimensional stable, thus no re-adjustment necessary so far!

Stefan Wiese and Timo Kalwinsky, Dura Poor Du pressroom managers of **HO-Persiehl** in Wanfried (manroland 707 + coating)

WAPPINYour own po	ssible s	aving	S RAPRINT			
uraPrint DuraPrint DuraPrint Dur		DURAPRINT				
Amount carried page 5	APRINT DURAPRINT					
Amount carried page 5 Savings thanks t	APRINT DURAPRINT					
Savings thanks t	APRINT					
uraPrint DuraPrint DuraPrint Dur						
URAPRI Amount carried page 7	APRINT DURAPRINT					
Savings thanks t	ORINT DURAPRINT					
uraPrii reduced wash ti						
URAPRINT DURAPRINT DURAPRINT DUR						
uraPrint DuraPrint DuraPrint Dur	APRINT DURAPRINT					
Amount carried page 9	APRINT DURAPRINT	DURAPRINT				
Carring are Alega less 4		J				
Savings thanks t	o reduced	DURAPRINT				
_{UKAP III} Amount carried page 9 _{UKAP III} Savings thanks t _{UKAP III} make-ready time	o reduced	DURAPRINT DURAPRINT	DURAPRINT DURAPRINT	DURAPRINT	DURAPRINT DURAPRINT	DuraPrin DuraPrin
		DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT	
		DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DuraPrin DuraPrin DuraPrin DuraPrin DuraPrin
URAPRINT DURAPRINT DURAPRI	APRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DuraPrin DuraPrin DuraPrin DuraPrin DuraPrin
URAPRINT DURAPRINT DURAPRI	APRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DuraPrin DuraPrin DuraPrin DuraPrin DuraPrin
URAPRINT DURAPRINT DURAPRI	APRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DuraPrin DuraPrin DuraPrin DuraPrin DuraPrin
URAPRINT DURAPRINT DURAPRI	APRINT DURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT DURAPRINT	DuraPrin DuraPrin DuraPrin DuraPrin DuraPrin
URAPRINT DURAPRINT DURAPRI	APRINT DURAPRINT FICANT APRINT DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRIN
URAPRINT DURAPRINT DURAPRI	APRINT DURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT TOURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRIN
URAPRINT DURAPRINT DURAPRI	APRINT DURAPRINT FICANT APRINT DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRIN

DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT				
		alue boo		DURAPRINT		DURAPRINT			
		rollers D	URAPRINT,	DURADAM	P und Per	RLADAMP			
DURAFRINI	r: LumiS								
		n-Steinbe	Leonal Milai						
		delberg (
Dur coat	ing on co	ver: Sau	er oil-bas	ed print	varnish F	ast Hard	DryAPRINT		
Dur/print	ing blan	ket: Ama	ranth						
	DURAPRINT			DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	DURAPRINT	
		e booklet i rage value							
		not being o				DURAPRINT	DURAPRINT	DURAPRINT	
DuraPrint		DURAPRINT	DURAPRINT						

Quality is when the customer returns – and the product doesn't!

As to quality issues leave your pocket calculator in the desk drawer. Quality is not measurable in Euro but by the reputation of your printhouse. DURAPRINT helps you to improve your good reputation.

And still, one parameter of DURAPRINT'S quality standards needs to be measurably pointed out: absolute extraordinary constant ink stability in production printing even with critical inks and in large print runs.



Editor-in-chief: managing director Volker Eggelmann

Sauer Walzenfabriken GmbH & Co. KG Werk Hannover | Gutenbergstraße 5 | D-30966 Hemmingen Telephone: (+49) 0511/41 02 95-0 | Telefax: (+49) 0511/41 02 95-60 | Email: hannover@sauer-roller.com

Paul Sauer GmbH & Co. Walzenfabrik KG Werk Berlin | Adalbertstraße 37/38 | D-10179 Berlin Telephone: (+49) 030/278 96 72-0 | Telefax: (+49) 030/278 96 72-80 | Email: berlin@sauer-roller.com

Sauer-Austria GmbH Werk Wien | Richard-Strauss-Straße 25 | A-1230 Wien Telephone: (+43) 01/616 53 35 | Telefax: (+43) 01/616 24 75 | Email: wien@sauer-roller.com